

JUVO care™ Hygiene

Mobile shower commodes



Series
1000, 2000,
4000 and
5000



JUVO care™ Hygiene

Mobile shower commodes

Contents

Pages 4 - 11 **1000 series**

Pages 12 - 15 **2000 series**

Pages 16 - 19 **4000 series**

Pages 20 - 31 **5000 series**



Mobile shower commodes

Weight bearing footplate

Bathroom Hygiene System

1000 series



JUVO care™ Hygiene

The possibilities

Supporting heavy weight
reinforced seat/back frame and armrests

Aiding side transfer and access for hygiene
swing-away independent armrests

User support and positioning by carer
locking safety arms

Infection control
seamless soft, easily removable seat,
Juvo registered Klipps system

Easy hygiene
deeper access from the front

Suitable for extended use
in wet areas
robust durable frame, grade 304 stainless steel

Tearsafe for user comfort
non-slip, laser etched, weight
bearing sliding footplate

Safe manual handling
regulation height push handle

Anti suction and
4 access cleaning points
non-woven backrest

Adjustable armrests, reinforced
2 position height

Safe working load (SWL)
and unique serial number
etched and coloured on the plate

Supporting pan and bowl carrier
pan carrier glides

Positioning over the toilet
open rear space

Stability on uneven floors
and 90° maneuvering
4 total locking stainless steel castors




- Patented design components
- Registered design
- Patent pending

Designed with the 12 tasks of bathroom hygiene in mind

- move on to it
- sit in it
- get to the toilet
- go to the toilet
- get to the shower
- have a shower
- dry in sitting
- dress in sitting
- move off it
- change in condition
- hygiene of chair
- on holiday





AS/NZS 3973:2009
ARTG 191619

Accessories

Armrests:

- padded armrest
- arm trough
- waterfall PU armrest
- 50 mm extension safety arm with handgrip, spring and button
- transfer bar safety arm with handgrip, spring and button
- lock down arm kit
- slip-on lock down arm kit

Body support:

- chest / pelvic strap
- thoracic support
- dropdownommel

Headrest:

- contoured adjustable headrest,
- small headrest alternative
- headrest mount
- bracket and clamps for headrest

Castor extensions bolt on:

- 2 castor extensions 175 mm rear,
- 2 castor extensions 75 mm front

Footplates / leg options:

- sliding footplate extension

Pan and bowl:

- pan and bowl carrier
- bowl with lid and handle
- additional clip for cardboard wires pan holder

Polyurethane seating:

- impress seats
- PU seats
- PU seats 460 mm width
- aperture closure pane

Miscellaneous items:

- oxygen bottle carrier
- commode I.V. pole
- commode I.V. pole 1800 mm

1000 series	in millimeters		in inches
Seat Width	410 / 460 / 510 / 560 / 610 / 660 / 710	16.1 / 18.1 / 20.1 / 22 / 24 / 26 / 28	
Width Between Arms	440 / 490 / 540 / 590 / 640 / 690 / 740	17.3 / 19.3 / 21.2 / 23.2 / 25.2 / 27.2 / 29.1	
Seat Height (back / front of seat)	570 / 590	22.4 / 23.2	
Width Overall	540 / 590 / 640 / 690 / 740 / 790 / 840	21.2 / 23.2 / 25.2 / 27.2 / 29.1 / 31.1 / 33.1	
Height Overall	1020	40.2	
Depth Overall	800 / 850	31.5 / 33.5	
Toilet bowl access (Width x Depth)*	370 - 660 x 430	14.6 - 26 x 16.9	
Armrest	230 - 270	9 - 10.6	

Seat height includes the 40 mm thickness of the standard PU seat. For custom seat thickness options, please contact your local distributor.
*Height excludes pan carrier rails, these can be removed for extra height.

Mobile shower commodes

Bariatric

Bathroom Hygiene System

1000 series



The possibilities

Supporting heavy weight
reinforced seat/back frame and armrests

Aiding side transfer and access for hygiene
swing-away independent armrests

User support and positioning
by carer
locking safety arms

Infection control
seamless soft, easily removable seat,
Juvo registered Klipps system

Easy hygiene
deeper access from the front

Suitable for extended use
in wet areas
robust durable frame, grade 304
stainless steel

Tearsafe for user comfort
non-slip, laser etched, weight
bearing sliding footplate



Safe manual handling
regulation height push handle

Anti suction and
4 access cleaning points
non-woven backrest

Adjustable armrests, reinforced
2 position height

Safe working load (SWL)
and unique serial number
etched and coloured on the plate

Supporting pan and bowl carrier
pan carrier glides

Positioning over the toilet
open rear space


Stability on uneven floors
and 90° maneuvering
4 total locking castors

- Patented design components
- Registered design
- Patent pending

Designed with the 12 tasks of bathroom hygiene in mind

- move on to it
- sit in it
- get to the toilet
- go to the toilet
- get to the shower
- have a shower
- dry in sitting
- dress in sitting
- move off it
- change in condition
- hygiene of chair
- on holiday





AS/NZS 3973:2009
ARTG 191619
ISO 13483

Accessories

Armrests:

- padded armrest
- arm trough
- waterfall PU armrest
- 50 mm extension safety arm with handgrip, spring and button
- transfer bar safety arm with handgrip, spring and button
- lock down arm kit
- slip-on lock down arm kit

Body support:

- chest/ pelvic strap,
- thoracic support,
- dropdown pommel,
- calf support strap

Headrest:

- contoured adjustable headrest,
- small headrest alternative
- headrest mount
- bracket and clamps for headrest

Castor extensions bolt on:

- 2 castor extensions 175 mm rear,
- 2 castor extensions 75 mm front

Pan and bowl:

- pan and bowl carrier,
- bowl with lid and handle,
- additional clip for cardboard wires pan holder

Polyurethane seating:

- impress seats,
- PU seats,
- PU seats 460 mm width,
- aperture closure pane

Miscellaneous items:

- oxygen bottle carrier,
- commode I.V. pole,
- commode I.V. pole 1800 mm

JH1086A-BT	in millimeters	in inches
Seat Width	810 / 860	31.9 / 33.8
Width Between Arms	840 / 890	33.1 / 35
Seat Height (back / front of seat)	610 / 630	24 / 24.8
Width Overall	940 / 990	37 / 39
Height Overall	1220	48
Depth Overall	1215	47.8
Toilet bowl access (Width x Depth)*	730 - 780 x 660	28.7 - 30.7 x 26
Armrest	230 - 270	9 - 10.6

Seat height includes the 40 mm thickness of the standard PU seat. For custom seat thickness options, please contact your local distributor.
*Height excludes pan carrier rails, these can be removed for extra height.

Mobile shower commodes

Swing-away footrests

Bathroom Hygiene System

2000 series



JUVO care™ Hygiene

The possibilities

Supporting heavy weight
reinforced seat/back frame and armrests

Aiding side transfer and access for hygiene
swing-away independent armrests

User support and positioning by carer
locking safety arms

Infection control
seamless soft, easily removable seat,
Juvo registered Klipps system

Easy hygiene
deeper access from the front

Suitable for extended use
in wet areas
robust durable frame, grade 304 stainless steel

Prevents injury to user's legs
Tearsafe® swing-away footrest

Customizable support
height adjustable legrests



Safe manual handling
regulation height push handle

Anti suction and
4 access cleaning points
non-woven backrest

Adjustable armrests, reinforced
2 position height

Safe working load (SWL)
and unique serial number
etched and coloured on the plate

Supporting pan and bowl carrier
pan carrier glides

Positioning over the toilet
open rear space


Stability on uneven floors
and 90° maneuvering
4 total locking stainless steel castors

- Patented design components
- Registered design
- Patent pending

Designed with the 12 tasks of bathroom hygiene in mind

- move on to it
- sit in it
- get to the toilet
- go to the toilet
- get to the shower
- have a shower
- dry in sitting
- dress in sitting
- move off it
- change in condition
- hygiene of chair
- on holiday





AS/NZS 3973:2009
ARTG 191619

Accessories

Armrests:

- padded armrest
- arm trough
- waterfall PU armrest
- 50 mm extension safety arm with handgrip, spring and button
- transfer bar safety arm with handgrip, spring and button
- lock down arm kit
- slip-on lock down arm kit

Body support:

- chest/ pelvic strap,
- thoracic support,
- dropdown pommel,
- calf support strap

Headrest:

- contoured adjustable headrest,
- small headrest alternative
- headrest mount
- bracket and clamps for headrest

Castor extensions bolt on:

- 2 castor extensions 175 mm rear,
- 2 castor extensions 75 mm front

Footplates / leg options:

- one piece footplate,
- vertical legrest,
- angle adjustable footrest,
- elevating legrest,
- stump support,
- leg extension

Pan and bowl:

- pan and bowl carrier,
- bowl with lid and handle,
- additional clip for cardboard wires pan holder

Polyurethane seating:

- impress seats,
- PU seats,
- PU seats 460 mm width,
- aperture closure pane

Miscellaneous items:

- oxygen bottle carrier,
- commode I.V. pole,
- commode I.V. pole 1800 mm

2000 series	in millimeters		in inches	
Seat Width	410 / 460 / 510 / 560 / 610 / 660		16.1 / 18.1 / 20.1 / 22 / 24 / 26	
Width Between Arms	440 / 490 / 540 / 590 / 640 / 690		17.3 / 19.3 / 21.2 / 23.2 / 25.2 / 27.2	
Seat Height (back / front of seat)	480 - 570 / 500 - 590		18.9 - 22.4 / 19.7 - 23.2	
Width Overall	540 / 590 / 640 / 690 / 740 / 790		21.2 / 23.2 / 25.2 / 27.2 / 29.1 / 31.1	
Height Overall	930 - 1020		36.6 - 40.2	
Depth Overall	700 / 720		27.5 / 28.3	
Toilet bowl access (Width x Depth)*	360 - 610 x 430		14.2 - 24 x 16.9	
Armrest	230 - 270		9 - 10.6	

Seat height includes the 40 mm thickness of the standard PU seat. For custom seat thickness options, please contact your local distributor.
*Height excludes pan carrier rails, these can be removed for extra height.

Mobile shower commodes

Self-propelled

Bathroom Hygiene System

4000 series



JUVO care™ Hygiene

The possibilities

Supporting heavy weight
reinforced seat/back frame and armrests

Aiding side transfer and access for hygiene
swing-away independent armrests

User support and positioning by carer
locking safety arms

Infection control
seamless soft, easily removable seat,
Juvo registered Klipps system

Suitable for extended use
in wet areas
robust durable frame, grade 304 stainless steel

Prevents injury to user's legs
Tearsafe® swing-away footrest

Stability on uneven floors
and 90° maneuvering
2 total locking stainless steel castors



Safe manual handling
regulation height push handle

Anti suction and
4 access cleaning points
non-woven backrest

Adjustable armrests, reinforced
2 position height

Supporting pan and bowl carrier
pan carrier glides

Positioning over the toilet
open rear space


Effortless manoeuvring
quick release wheels with push rims

- Patented design components
- Registered design
- Patent pending

Designed with the 12 tasks of bathroom hygiene in mind

- move on to it
- sit in it
- get to the toilet
- go to the toilet
- get to the shower
- have a shower
- dry in sitting
- dress in sitting
- move off it
- change in condition
- hygiene of chair
- on holiday





AS/NZS 3973:2009
ARTG 191619
ISO 13483

Accessories

Armrests:

- padded armrest
- arm trough
- waterfall PU armrest
- 50 mm extension safety arm with handgrip, spring and button
- transfer bar safety arm with handgrip, spring and button
- lock down arm kit
- slip-on lock down arm kit

Backrests:

- short back style with headrest bracket
- angle adjustable backrest — 3 strap,
- angle adjustable backrest — 4 strap,
- wheelchair style backrest — 3 strap,
- wheelchair style backrest — 4 strap,
- backrest extension — 4 strap,
- backrest extension — 5 strap, backrest extension — 6 strap

Body support:

- chest/ pelvic strap,
- thoracic support,
- dropdown pommel,
- calf support strap

Headrest:

- contoured adjustable headrest,
- small headrest alternative
- headrest mount
- bracket and clamps for headrest

Castor extensions bolt on:

- 2 castor extensions 175 mm rear,
- 2 castor extensions 75 mm front

Footplates / leg options:

- one piece footplate,
- vertical legrest,
- angle adjustable footrest,
- elevating legrest,
- stump support,
- leg extension

Pan and bowl:

- pan and bowl carrier,
- bowl with lid and handle,
- additional clip for cardboard wires pan holder

Polyurethane seating:

- impress seats,
- PU seats,
- PU seats 460 mm width,
- aperture closure pane

Miscellaneous items:

- oxygen bottle carrier,
- commode I.V. pole,
- commode I.V. pole 1800 mm
- 24 inch wheels

4000 series	in millimeters	in inches
Seat Width	410 / 460 / 510 / 560 / 610 / 660	16.1 / 18.1 / 20.1 / 22 / 24 / 26
Width Between Arms	440 / 490 / 540 / 590 / 640 / 690	17.3 / 19.3 / 21.2 / 23.2 / 25.2 / 27.2
Seat Height (back / front of seat)	570 - 590	22.4 - 23.2
Width Overall	610 / 660 / 710 / 760 / 810 / 860	24 / 26 / 28 / 29.9 / 31.9 / 33.9
Height Overall	960 - 1020	37.8 - 40.2
Depth Overall	830 / 850	32.7 / 33.5
Toilet bowl access (Width x Depth)*	310 - 560 x 430	12.2 - 22 x 16.9
Armrest	230 - 270	9 - 10.6

Seat height includes the 40 mm thickness of the standard PU seat. For custom seat thickness options, please contact your local distributor.
*Height excludes pan carrier rails, these can be removed for extra height.

JUVO Always innovating...™
solutions

Mobile shower commodes

Manual Tilt

Bathroom Hygiene System

5000 series



Fully adjustable seat tilt

JUVO care™ Hygiene

The possibilities

Supporting heavy weight
reinforced seat/back frame and armrests

Suitable for extended use in wet areas
robust durable frame, grade 304 stainless steel

Aiding side transfer and access for hygiene
swing-away independent armrests

User support and positioning by carer
locking safety arms

Infection control
seamless soft, easily removable seat,
Juvo registered Klipps system

Providing calf/knee support
elevating legrest

Prevents injury to user's legs
Tearsafe® swing-away footrest



Safe manual handling
regulation height push handle

Anti suction and
4 access cleaning points
non-woven backrest

Adjustable armrests, reinforced
2 position height

Supporting pan and bowl carrier
pan carrier glides

Positioning over the toilet
open rear space


Stability on uneven floors
and 90° maneuvering
4 total locking stainless steel castors

- Patented design components
- Registered design
- Patent pending

Designed with the 12 tasks of bathroom hygiene in mind

- move on to it
- sit in it
- get to the toilet
- go to the toilet
- get to the shower
- have a shower
- dry in sitting
- dress in sitting
- move off it
- change in condition
- hygiene of chair
- on holiday





AS/NZS 3973:2009
ARTG 191619

Accessories

Armrests:

- padded armrest
- arm trough
- waterfall PU armrest
- 50 mm extension safety arm with handgrip, spring and button
- transfer bar safety arm with handgrip, spring and button
- lock down arm kit
- slip-on lock down arm kit

Backrest extensions:

- wheelchair style backrest extension — 3 strap,
- wheelchair style backrest extension — 4 strap,
- backrest extension — 4 strap,
- backrest extension — 5 strap,
- backrest extension — 6 strap

Body support:

- chest/ pelvic strap,
- thoracic support,
- dropdown pommel,
- calf support strap

Headrest:

- contoured adjustable headrest,
- small headrest alternative
- headrest mount
- bracket and clamps for headrest

Footplates / leg options:

- one piece footplate,
- vertical legrest,
- angle adjustable footrest,
- elevating legrest,
- stump support,
- leg extension

Pan and bowl:

- pan and bowl carrier,
- bowl with lid and handle,
- additional clip for cardboard wires pan holder

Polyurethane seating:

- impress seats,
- PU seats,
- PU seats 460 mm width,
- aperture closure pane

Miscellaneous items:

- oxygen bottle carrier,
- commode I.V. pole,
- commode I.V. pole 1800 mm

5000 series Manual Tilt	in millimeters	in inches
Seat Width	410 / 460 / 510 / 560 / 610 / 660	16.1 / 18.1 / 20.1 / 22 / 24 / 26
Width Between Arms	440 / 490 / 540 / 590 / 640 / 690	17.3 / 19.3 / 21.2 / 23.2 / 25.2 / 27.2
Seat Height (back / front of seat)	530 - 655 / 520 - 645	20.9 - 25.8 / 20.5 - 25.4
Width Overall	570 / 590 / 640 / 690 / 740 / 790	21.4 / 23.2 / 25.2 / 27.2 / 29.1 / 31.1
Height Overall	1420 - 1545	55.9 - 60.8
Depth Overall	870	34.2
Toilet bowl access (Width x Depth)*	400 - 560 x 590	15.7 - 22 x 23.2
Armrest	230 - 270	9 - 10.6

Seat height includes the 40 mm thickness of the standard PU seat. For custom seat thickness options, please contact your local distributor.
*Height excludes pan carrier rails, these can be removed for extra height.

Mobile shower commodes

Electric Tilt HiLo

Bathroom Hygiene System

5000 series



Fully adjustable tilt and height

JUVO care™ Hygiene

The possibilities

Supporting heavy weight
reinforced seat/back frame and armrests

Non-woven backrest
anti suction and 4 access cleaning points


Suitable for extended use in wet areas
robust durable frame, grade 304 stainless steel

User support and positioning by carer
locking safety arms

Infection control
seamless soft, easily removable seat,
Juvo registered Klipps system

Providing calf/knee support
elevating legrest

Prevents injury to user's legs
Tearsafe® swing-away footrest



Safe manual handling
regulation height push handle

Detachable light weight lithium
battery IPX6 water-resistant,
showersafe electric components
new Linak slim-line LIFT50 battery and control
system handheld remote

Independently operated
electric control for tilt

Adjustable armrests, reinforced
2 position height

Aiding side transfer and access for hygiene
swing-away independent armrests

Supporting pan and bowl carrier
pan carrier glides

Positioning over the toilet
open rear space


Stability on uneven floors
and 90° maneuvering
4 total locking stainless steel castors

- Patented design components
- Registered design
- Patent pending

Designed with the 12 tasks of bathroom hygiene in mind

- move on to it
- sit in it
- get to the toilet
- go to the toilet
- get to the shower
- have a shower
- dry in sitting
- dress in sitting
- move off it
- change in condition
- hygiene of chair
- on holiday





AS/NZS 3973:2009
ARTG 191619

Accessories

Armrests:

- padded armrest
- arm trough
- waterfall PU armrest
- 50 mm extension safety arm with handgrip, spring and button
- transfer bar safety arm with handgrip, spring and button
- lock down arm kit
- slip-on lock down arm kit

Backrest extensions:

- wheelchair style backrest extension — 3 strap,
- wheelchair style backrest extension — 4 strap,
- backrest extension — 4 strap,
- backrest extension — 5 strap,
- backrest extension — 6 strap

Body support:

- chest/ pelvic strap,
- thoracic support,
- dropdown pommel,
- calf support strap

Headrest:

- contoured adjustable headrest,
- small headrest alternative
- headrest mount
- bracket and clamps for headrest

Footplates / leg options:

- one piece footplate,
- vertical legrest,
- angle adjustable footrest,
- elevating legrest,
- stump support,
- leg extension

Pan and bowl:

- pan and bowl carrier,
- bowl with lid and handle,
- additional clip for cardboard wires pan holder

Polyurethane seating:

- impress seats,
- PU seats,
- PU seats 460 mm width,
- aperture closure pane

Miscellaneous items:

- oxygen bottle carrier,
- commode I.V. pole,
- commode I.V. pole 1800 mm

5000 series Electric Tilt HiLo	in millimeters	in inches
Seat Width	410 / 460 / 510 / 560 / 610	16.1 / 18.1 / 20.1 / 22 / 24
Width Between Arms	440 / 490 / 540 / 590 / 640	17.3 / 19.3 / 21.2 / 23.2 / 25.2
Seat Height (back / front of seat)	520 - 650 / 510 - 640	20.5 - 25.6 / 20.1 - 25.2
Width Overall	655 / 655 / 705 / 755 / 805	25.8 / 25.8 / 27.7 / 29.7 / 31.7
Height Overall	1420 - 1550	55.9 - 61
Depth Overall	870	34.2
Toilet bowl access (Width x Depth)*	380 - 580 x 600	14.9 - 22.8 x 23.6
Armrest	180 - 220	7.1 - 8.7

Seat height includes the 40 mm thickness of the standard PU seat. For custom seat thickness options, please contact your local distributor.
*Height excludes pan carrier rails, these can be removed for extra height.

JUVO Always innovating...™
solutions

Mobile shower commodes

Electric Tilt

Bathroom Hygiene System

5000 series



Fully adjustable tilt and height

JUVO care™ Hygiene

The possibilities

Supporting heavy weight
reinforced seat/back frame and armrests

Non-woven backrest
anti suction and 4 access cleaning points


Suitable for extended use in wet areas
robust durable frame, grade 304 stainless steel

User support and positioning by carer
locking safety arms

Infection control
seamless soft, easily removable seat,
Juvo registered Klipps system

Providing calf/knee support
elevating legrest

Prevents injury to user's legs
Tearsafe® swing-away footrest



Safe manual handling
regulation height push handle

Detachable light weight lithium
battery IPX6 water-resistant,
showersafe electric components
new Linak slim-line LIFT50 battery and control
system handheld remote

Independently operated
electric control for tilt

Adjustable armrests, reinforced
2 position height

Aiding side transfer and access for hygiene
swing-away independent armrests

Supporting pan and bowl carrier
pan carrier glides

Positioning over the toilet
open rear space


Stability on uneven floors
and 90° maneuvering
4 total locking stainless steel castors

- Patented design components
- Registered design
- Patent pending

Designed with the 12 tasks of bathroom hygiene in mind

- move on to it
- sit in it
- get to the toilet
- go to the toilet
- get to the shower
- have a shower
- dry in sitting
- dress in sitting
- move off it
- change in condition
- hygiene of chair
- on holiday





AS/NZS 3973:2009
ARTG 191619
ISO 13483

Accessories

Armrests:

- padded armrest
- arm trough
- waterfall PU armrest
- 50 mm extension safety arm with handgrip, spring and button
- transfer bar safety arm with handgrip, spring and button
- lock down arm kit
- slip-on lock down arm kit

Backrest extensions:

- wheelchair style backrest extension — 3 strap,
- wheelchair style backrest extension — 4 strap,
- backrest extension — 4 strap,
- backrest extension — 5 strap,
- backrest extension — 6 strap

Body support:

- chest/ pelvic strap,
- thoracic support,
- dropdown pommel,
- calf support strap

Headrest:

- contoured adjustable headrest,
- small headrest alternative
- headrest mount
- bracket and clamps for headrest

Footplates / leg options:

- one piece footplate,
- vertical legrest,
- angle adjustable footrest,
- elevating legrest,
- stump support,
- leg extension

Pan and bowl:

- pan and bowl carrier,
- bowl with lid and handle,
- additional clip for cardboard wires pan holder

Polyurethane seating:


- impress seats,
- PU seats,
- PU seats 460 mm width,
- aperture closure pane

Miscellaneous items:

- oxygen bottle carrier,
- commode I.V. pole,
- commode I.V. pole 1800 mm

5000 series Electric Tilt	in millimeters	in inches
Seat Width	460 / 510 / 560 / 610	18.1 / 20.1 / 22 / 24
Width Between Arms	490 / 540 / 590 / 640	19.3 / 21.2 / 23.2 / 25.2
Seat Height (back / front of seat)	530 - 655 / 520 - 645	20.9 - 25.8 / 20.5 - 25.4
Width Overall	590 / 640 / 690 / 740	23.2 / 25.2 / 27.2 / 29.1
Height Overall	1420 - 1545	55.9 - 60.8
Depth Overall	870	34.2
Toilet bowl access (Width x Depth)*	400 - 560 x 490	15.7 - 22 x 19.3
Armrest	230 - 270	9 - 10.6

Seat height includes the 40 mm thickness of the standard PU seat. For custom seat thickness options, please contact your local distributor.
*Height excludes pan carrier rails, these can be removed for extra height.



JUVO Always innovating...™
solutions

Juvo Solutions - PO Box 261, Bentley, WA 6102
enquiries@juvo.com.au
www.juvo.com.au



Australian
Standard
AS/NZS 3873:2009

TGA

Juvo Care
Hygiene products
are entered in
the ARTG, 191619

Authorised Distributor